



**SHANDONG UNION ALUMINIUM CO., LTD**  
FOCUS ON ALUMINIUM PRODUCTION

# 7075 ALUMINIUM SHEET & PLATE

## STOCK GUIDE

Union Aluminium supplies 7075 sheet and plate in O, T6, T651 and T652 conditions for machining, tooling and high-load structural use. This guide presents standard stock formats in imperial and metric units, with cut-to-size options available for project-specific needs.

### IN THIS GUIDE

- 01 7075-O Aluminium Sheet
- 02 7075-T6 Aluminium Sheet & Plate
- 05 7075-T651 Aluminium Sheet & Plate
- 08 7075-T652 Forged Aluminium Plate

[www.unionalu.com](http://www.unionalu.com)

[sales@unionalu.com](mailto:sales@unionalu.com) | WhatsApp +86 195 6061 7075

© 2026 Shandong Union Aluminium Co., Ltd. All rights reserved.



# 7075-O Aluminium Sheet


7075 ALUMINIUM STOCK GUIDE

UNION AL

SPEC

AMS 4044 | ASTM B209 | EN 485 | AMS-QQ-A-250/12

DIMENSION REFERENCE



| Imperial Unit |        |           | Weight |        | International Unit |      |           |
|---------------|--------|-----------|--------|--------|--------------------|------|-----------|
| T/in          | W/in   | Length/in | Lbs    | Kg     | T/mm               | W/mm | Length/mm |
| 0.031         | 49.213 | 98.425    | 15.487 | 7.025  | 0.8                | 1250 | 2500      |
| 0.039         | 49.213 | 98.425    | 19.359 | 8.781  | 1                  | 1250 | 2500      |
| 0.047         | 49.213 | 98.425    | 23.231 | 10.538 | 1.2                | 1250 | 2500      |
| 0.059         | 49.213 | 98.425    | 29.039 | 13.172 | 1.5                | 1250 | 2500      |
| 0.079         | 49.213 | 98.425    | 38.719 | 17.563 | 2                  | 1250 | 2500      |
| 0.098         | 49.213 | 98.425    | 48.398 | 21.953 | 2.5                | 1250 | 2500      |
| 0.118         | 49.213 | 98.425    | 58.078 | 26.344 | 3                  | 1250 | 2500      |
| 0.125         | 49.213 | 98.425    | 61.466 | 27.880 | 3.175              | 1250 | 2500      |
| 0.138         | 49.213 | 98.425    | 67.758 | 30.734 | 3.5                | 1250 | 2500      |

## Ordering & service notes

- Common mill formats include 1200 x 2400 mm, 1220 x 2440 mm, 1500 x 3000 mm and 1520 x 3040 mm; project-specific dimensions can be quoted.
- Cut-to-size, edge trimming and precision machining are available, from thin-gauge sheet cutting to thick plate blocks.
- Stock items can support trial or small-quantity purchases; confirmed orders are normally prepared for dispatch within one week.
- Volume-based commercial terms are available for consolidated or repeat requirements.
- Listed weights are nominal-density calculations and should be treated as estimates rather than certified shipment weights.

Nominal stock data; confirm live availability and tolerances when ordering.



# 7075-T6 Aluminium Sheet & Plate

7075 ALUMINIUM STOCK GUIDE

UNION AL

SPEC

AMS 4044 | ASTM B209 | EN 485 | AMS-QQ-A-250/12

| Imperial Unit |        |           | Weight  |         | International Unit |      |           |
|---------------|--------|-----------|---------|---------|--------------------|------|-----------|
| T/in          | W/in   | Length/in | Lbs     | Kg      | T/mm               | W/mm | Length/mm |
| 0.031         | 49.213 | 98.425    | 15.487  | 7.025   | 0.8                | 1250 | 2500      |
| 0.039         | 49.213 | 98.425    | 19.359  | 8.781   | 1                  | 1250 | 2500      |
| 0.047         | 49.213 | 98.425    | 23.231  | 10.538  | 1.2                | 1250 | 2500      |
| 0.059         | 49.213 | 118.110   | 34.847  | 15.806  | 1.5                | 1250 | 3000      |
| 0.079         | 49.213 | 98.425    | 38.719  | 17.563  | 2                  | 1250 | 2500      |
| 0.098         | 49.213 | 98.425    | 48.398  | 21.953  | 2.5                | 1250 | 2500      |
| 0.118         | 49.213 | 98.425    | 58.078  | 26.344  | 3                  | 1250 | 2500      |
| 0.138         | 59.843 | 118.898   | 99.531  | 45.147  | 3.5                | 1520 | 3020      |
| 0.157         | 59.843 | 118.898   | 113.750 | 51.596  | 4                  | 1520 | 3020      |
| 0.197         | 59.843 | 118.898   | 142.187 | 64.495  | 5                  | 1520 | 3020      |
| 0.236         | 59.843 | 118.898   | 170.625 | 77.394  | 6                  | 1520 | 3020      |
| 0.315         | 59.843 | 118.898   | 227.500 | 103.192 | 8                  | 1520 | 3020      |
| 0.394         | 59.843 | 118.898   | 284.375 | 128.990 | 10                 | 1520 | 3020      |
| 0.433         | 59.843 | 118.898   | 312.812 | 141.889 | 11                 | 1520 | 3020      |
| 0.472         | 59.843 | 118.898   | 341.250 | 154.788 | 12                 | 1520 | 3020      |
| 0.551         | 59.843 | 118.898   | 398.125 | 180.586 | 14                 | 1520 | 3020      |
| 0.591         | 59.843 | 118.898   | 426.562 | 193.485 | 15                 | 1520 | 3020      |
| 0.630         | 59.843 | 118.898   | 455.000 | 206.384 | 16                 | 1520 | 3020      |
| 0.709         | 59.843 | 118.898   | 511.875 | 232.182 | 18                 | 1520 | 3020      |
| 0.787         | 59.843 | 118.898   | 568.750 | 257.980 | 20                 | 1520 | 3020      |
| 0.866         | 59.843 | 118.898   | 625.625 | 283.779 | 22                 | 1520 | 3020      |

Nominal stock data; confirm live availability and tolerances when ordering.



# 7075-T6 Aluminium Sheet & Plate

7075 ALUMINIUM STOCK GUIDE

UNION AL

CONTINUED

| Imperial Unit |        |           | Weight   |          | International Unit |      |           |
|---------------|--------|-----------|----------|----------|--------------------|------|-----------|
| T/in          | W/in   | Length/in | Lbs      | Kg       | T/mm               | W/mm | Length/mm |
| 0.984         | 59.843 | 118.898   | 710.937  | 322.476  | 25                 | 1520 | 3020      |
| 1.102         | 59.843 | 118.898   | 796.249  | 361.173  | 28                 | 1520 | 3020      |
| 1.181         | 59.843 | 118.898   | 853.124  | 386.971  | 30                 | 1520 | 3020      |
| 1.260         | 59.843 | 118.898   | 909.999  | 412.769  | 32                 | 1520 | 3020      |
| 1.378         | 59.843 | 118.898   | 995.312  | 451.466  | 35                 | 1520 | 3020      |
| 1.575         | 59.843 | 118.898   | 1137.499 | 515.961  | 40                 | 1520 | 3020      |
| 1.772         | 59.843 | 118.898   | 1279.687 | 580.456  | 45                 | 1520 | 3020      |
| 1.969         | 59.843 | 118.898   | 1421.874 | 644.951  | 50                 | 1520 | 3020      |
| 2.165         | 59.843 | 118.898   | 1564.061 | 709.446  | 55                 | 1520 | 3020      |
| 2.362         | 59.843 | 118.898   | 1706.249 | 773.941  | 60                 | 1520 | 3020      |
| 2.559         | 59.843 | 118.898   | 1848.436 | 838.437  | 65                 | 1520 | 3020      |
| 2.756         | 59.843 | 118.898   | 1990.624 | 902.932  | 70                 | 1520 | 3020      |
| 2.953         | 59.843 | 118.898   | 2132.811 | 967.427  | 75                 | 1520 | 3020      |
| 3.150         | 59.843 | 118.898   | 2274.998 | 1031.922 | 80                 | 1520 | 3020      |
| 3.346         | 59.843 | 118.898   | 2417.186 | 1096.417 | 85                 | 1520 | 3020      |
| 3.543         | 59.843 | 118.898   | 2559.373 | 1160.912 | 90                 | 1520 | 3020      |
| 3.740         | 59.843 | 118.898   | 2701.561 | 1225.407 | 95                 | 1520 | 3020      |
| 3.937         | 59.843 | 118.898   | 2843.748 | 1289.902 | 100                | 1520 | 3020      |
| 4.134         | 59.843 | 118.898   | 2985.935 | 1354.398 | 105                | 1520 | 3020      |
| 4.331         | 59.843 | 118.898   | 3128.123 | 1418.893 | 110                | 1520 | 3020      |
| 4.528         | 59.843 | 118.898   | 3270.310 | 1483.388 | 115                | 1520 | 3020      |
| 4.724         | 59.843 | 118.898   | 3412.498 | 1547.883 | 120                | 1520 | 3020      |
| 4.921         | 59.843 | 118.898   | 3554.685 | 1612.378 | 125                | 1520 | 3020      |
| 5.118         | 59.843 | 118.898   | 3696.872 | 1676.873 | 130                | 1520 | 3020      |
| 5.315         | 59.843 | 118.898   | 3839.060 | 1741.368 | 135                | 1520 | 3020      |
| 5.512         | 59.843 | 118.898   | 3981.247 | 1805.863 | 140                | 1520 | 3020      |
| 5.906         | 59.843 | 118.898   | 4265.622 | 1934.854 | 150                | 1520 | 3020      |

Nominal stock data; confirm live availability and tolerances when ordering.



# 7075-T6 Aluminium Sheet & Plate

7075 ALUMINIUM STOCK GUIDE

UNION AL

## CONTINUED

| Imperial Unit |        |           | Weight   |          | International Unit |      |           |
|---------------|--------|-----------|----------|----------|--------------------|------|-----------|
| T/in          | W/in   | Length/in | Lbs      | Kg       | T/mm               | W/mm | Length/mm |
| 6.299         | 59.843 | 118.898   | 4549.997 | 2063.844 | 160                | 1520 | 3020      |
| 6.693         | 59.843 | 118.898   | 4834.372 | 2192.834 | 170                | 1520 | 3020      |
| 7.087         | 59.843 | 118.898   | 5118.746 | 2321.824 | 180                | 1520 | 3020      |
| 7.480         | 59.843 | 118.898   | 5403.121 | 2450.815 | 190                | 1520 | 3020      |
| 7.874         | 59.843 | 118.898   | 5687.496 | 2579.805 | 200                | 1520 | 3020      |
| 8.268         | 59.843 | 118.898   | 5971.871 | 2708.795 | 210                | 1520 | 3020      |
| 8.661         | 59.843 | 118.898   | 6256.246 | 2837.785 | 220                | 1520 | 3020      |
| 9.055         | 59.843 | 118.898   | 6540.620 | 2966.776 | 230                | 1520 | 3020      |
| 9.449         | 59.843 | 118.898   | 6824.995 | 3095.766 | 240                | 1520 | 3020      |
| 9.843         | 59.843 | 118.898   | 7109.370 | 3224.756 | 250                | 1520 | 3020      |
| 10.236        | 59.843 | 118.898   | 7393.745 | 3353.746 | 260                | 1520 | 3020      |

### Ordering & service notes

- Common mill formats include 1200 x 2400 mm, 1220 x 2440 mm, 1500 x 3000 mm and 1520 x 3040 mm; project-specific dimensions can be quoted.
- Cut-to-size, edge trimming and precision machining are available, from thin-gauge sheet cutting to thick plate blocks.
- Stock items can support trial or small-quantity purchases; confirmed orders are normally prepared for dispatch within one week.
- Volume-based commercial terms are available for consolidated or repeat requirements.
- Listed weights are nominal-density calculations and should be treated as estimates rather than certified shipment weights.

*Nominal stock data; confirm live availability and tolerances when ordering.*



# 7075-T651 Aluminium Sheet & Plate

7075 ALUMINIUM STOCK GUIDE

UNION AL

SPEC

AMS 4044 | ASTM B209 | EN 485 | AMS-QQ-A-250/12

| Imperial Unit |        |           | Weight  |         | International Unit |      |           |
|---------------|--------|-----------|---------|---------|--------------------|------|-----------|
| T/in          | W/in   | Length/in | Lbs     | Kg      | T/mm               | W/mm | Length/mm |
| 0.157         | 59.055 | 118.110   | 111.510 | 50.580  | 4                  | 1500 | 3000      |
| 0.197         | 59.055 | 118.110   | 139.387 | 63.225  | 5                  | 1500 | 3000      |
| 0.236         | 59.055 | 118.110   | 167.265 | 75.870  | 6                  | 1500 | 3000      |
| 0.250         | 59.055 | 118.110   | 177.022 | 80.296  | 6.35               | 1500 | 3000      |
| 0.256         | 59.055 | 118.110   | 181.203 | 82.193  | 6.5                | 1500 | 3000      |
| 0.315         | 59.055 | 118.110   | 223.020 | 101.160 | 8                  | 1500 | 3000      |
| 0.375         | 59.055 | 118.110   | 265.533 | 120.444 | 9.525              | 1500 | 3000      |
| 0.394         | 59.055 | 118.110   | 278.775 | 126.450 | 10                 | 1500 | 3000      |
| 0.433         | 59.055 | 118.110   | 306.652 | 139.095 | 11                 | 1500 | 3000      |
| 0.472         | 59.055 | 118.110   | 334.529 | 151.740 | 12                 | 1500 | 3000      |
| 0.500         | 59.055 | 118.110   | 354.044 | 160.592 | 12.7               | 1500 | 3000      |
| 0.551         | 59.055 | 118.110   | 390.284 | 177.030 | 14                 | 1500 | 3000      |
| 0.591         | 59.055 | 118.110   | 418.162 | 189.675 | 15                 | 1500 | 3000      |
| 0.625         | 59.055 | 118.110   | 442.694 | 200.803 | 15.88              | 1500 | 3000      |
| 0.630         | 59.055 | 118.110   | 446.039 | 202.320 | 16                 | 1500 | 3000      |
| 0.709         | 59.055 | 118.110   | 501.794 | 227.610 | 18                 | 1500 | 3000      |
| 0.750         | 59.055 | 118.110   | 531.065 | 240.887 | 19.05              | 1500 | 3000      |
| 0.787         | 59.055 | 118.110   | 557.549 | 252.900 | 20                 | 1500 | 3000      |
| 0.866         | 59.055 | 118.110   | 613.304 | 278.190 | 22                 | 1500 | 3000      |
| 0.984         | 59.055 | 118.110   | 696.936 | 316.125 | 25                 | 1500 | 3000      |
| 1.000         | 59.055 | 118.110   | 708.087 | 321.183 | 25.4               | 1500 | 3000      |

Nominal stock data; confirm live availability and tolerances when ordering.



# 7075-T651 Aluminium Sheet & Plate

7075 ALUMINIUM STOCK GUIDE

UNION AL

CONTINUED

| Imperial Unit |        |           | Weight   |          | International Unit |      |           |
|---------------|--------|-----------|----------|----------|--------------------|------|-----------|
| T/in          | W/in   | Length/in | Lbs      | Kg       | T/mm               | W/mm | Length/mm |
| 1.024         | 59.055 | 118.110   | 724.814  | 328.770  | 26                 | 1500 | 3000      |
| 1.102         | 59.055 | 118.110   | 780.569  | 354.060  | 28                 | 1500 | 3000      |
| 1.181         | 59.055 | 118.110   | 836.324  | 379.350  | 30                 | 1500 | 3000      |
| 1.260         | 59.055 | 118.110   | 892.078  | 404.640  | 32                 | 1500 | 3000      |
| 1.378         | 59.055 | 118.110   | 975.711  | 442.575  | 35                 | 1500 | 3000      |
| 1.417         | 59.055 | 118.110   | 1003.588 | 455.220  | 36                 | 1500 | 3000      |
| 1.496         | 59.055 | 118.110   | 1059.343 | 480.510  | 38                 | 1500 | 3000      |
| 1.575         | 59.055 | 118.110   | 1115.098 | 505.800  | 40                 | 1500 | 3000      |
| 1.654         | 59.055 | 118.110   | 1170.853 | 531.090  | 42                 | 1500 | 3000      |
| 1.772         | 59.055 | 118.110   | 1254.485 | 569.025  | 45                 | 1500 | 3000      |
| 1.969         | 59.055 | 118.110   | 1393.873 | 632.250  | 50                 | 1500 | 3000      |
| 2.000         | 59.055 | 118.110   | 1416.175 | 642.366  | 50.8               | 1500 | 3000      |
| 2.165         | 59.055 | 118.110   | 1533.260 | 695.475  | 55                 | 1500 | 3000      |
| 2.244         | 59.055 | 118.110   | 1589.015 | 720.765  | 57                 | 1500 | 3000      |
| 2.362         | 59.055 | 118.110   | 1672.647 | 758.700  | 60                 | 1500 | 3000      |
| 2.500         | 59.055 | 118.110   | 1770.218 | 802.958  | 63.5               | 1500 | 3000      |
| 2.559         | 59.055 | 118.110   | 1812.034 | 821.925  | 65                 | 1500 | 3000      |
| 2.756         | 59.055 | 118.110   | 1951.422 | 885.150  | 70                 | 1500 | 3000      |
| 2.953         | 59.055 | 118.110   | 2090.809 | 948.375  | 75                 | 1500 | 3000      |
| 3.150         | 59.055 | 118.110   | 2230.196 | 1011.600 | 80                 | 1500 | 3000      |
| 3.346         | 59.055 | 118.110   | 2369.584 | 1074.825 | 85                 | 1500 | 3000      |
| 3.543         | 59.055 | 118.110   | 2508.971 | 1138.050 | 90                 | 1500 | 3000      |
| 3.740         | 59.055 | 118.110   | 2648.358 | 1201.275 | 95                 | 1500 | 3000      |
| 3.937         | 59.055 | 118.110   | 2787.745 | 1264.500 | 100                | 1500 | 3000      |
| 4.134         | 59.055 | 118.110   | 2927.133 | 1327.725 | 105                | 1500 | 3000      |
| 4.331         | 59.055 | 118.110   | 3066.520 | 1390.950 | 110                | 1500 | 3000      |
| 4.528         | 59.055 | 118.110   | 3205.907 | 1454.175 | 115                | 1500 | 3000      |

Nominal stock data; confirm live availability and tolerances when ordering.



# 7075-T651 Aluminium Sheet & Plate

7075 ALUMINIUM STOCK GUIDE

UNION AL

CONTINUED

| Imperial Unit |        |           | Weight   |          | International Unit |      |           |
|---------------|--------|-----------|----------|----------|--------------------|------|-----------|
| T/in          | W/in   | Length/in | Lbs      | Kg       | T/mm               | W/mm | Length/mm |
| 4.724         | 59.055 | 118.110   | 3345.294 | 1517.400 | 120                | 1500 | 3000      |
| 4.921         | 59.055 | 118.110   | 3484.682 | 1580.625 | 125                | 1500 | 3000      |
| 5.118         | 59.055 | 118.110   | 3624.069 | 1643.850 | 130                | 1500 | 3000      |
| 5.315         | 59.055 | 118.110   | 3763.456 | 1707.075 | 135                | 1500 | 3000      |
| 5.512         | 59.055 | 118.110   | 3902.843 | 1770.300 | 140                | 1500 | 3000      |
| 5.709         | 59.055 | 118.110   | 4042.231 | 1833.525 | 145                | 1500 | 3000      |
| 5.906         | 59.055 | 118.110   | 4181.618 | 1896.750 | 150                | 1500 | 3000      |
| 6.102         | 59.055 | 118.110   | 4321.005 | 1959.975 | 155                | 1500 | 3000      |
| 6.299         | 59.055 | 118.110   | 4460.392 | 2023.200 | 160                | 1500 | 3000      |
| 6.496         | 59.055 | 118.110   | 4599.780 | 2086.425 | 165                | 1500 | 3000      |
| 6.693         | 59.055 | 118.110   | 4739.167 | 2149.650 | 170                | 1500 | 3000      |
| 6.890         | 59.055 | 118.110   | 4878.554 | 2212.875 | 175                | 1500 | 3000      |
| 7.087         | 59.055 | 118.110   | 5017.942 | 2276.100 | 180                | 1500 | 3000      |
| 7.283         | 59.055 | 118.110   | 5157.329 | 2339.325 | 185                | 1500 | 3000      |
| 7.480         | 59.055 | 118.110   | 5296.716 | 2402.550 | 190                | 1500 | 3000      |
| 7.677         | 59.055 | 118.110   | 5436.103 | 2465.775 | 195                | 1500 | 3000      |
| 7.874         | 59.055 | 118.110   | 5575.491 | 2529.000 | 200                | 1500 | 3000      |
| 8.268         | 59.055 | 118.110   | 5854.265 | 2655.450 | 210                | 1500 | 3000      |
| 8.661         | 59.055 | 118.110   | 6133.040 | 2781.900 | 220                | 1500 | 3000      |
| 9.055         | 59.055 | 118.110   | 6411.814 | 2908.350 | 230                | 1500 | 3000      |
| 9.449         | 59.055 | 118.110   | 6690.589 | 3034.800 | 240                | 1500 | 3000      |
| 9.843         | 59.055 | 118.110   | 6969.363 | 3161.250 | 250                | 1500 | 3000      |
| 10.236        | 59.055 | 118.110   | 7248.138 | 3287.700 | 260                | 1500 | 3000      |

Nominal stock data; confirm live availability and tolerances when ordering.



# 7075-T652 Forged Aluminium Plate

7075 ALUMINIUM STOCK GUIDE

UNION AL

SPEC

ASTM B247

| Imperial Unit |        |           | Weight    |          | International Unit |      |           |
|---------------|--------|-----------|-----------|----------|--------------------|------|-----------|
| T/in          | W/in   | Length/in | Lbs       | Kg       | T/mm               | W/mm | Length/mm |
| 10.630        | 59.843 | 118.898   | 7678.120  | 3482.736 | 270                | 1520 | 3020      |
| 11.024        | 59.843 | 118.898   | 7962.494  | 3611.727 | 280                | 1520 | 3020      |
| 11.417        | 59.843 | 118.898   | 8246.869  | 3740.717 | 290                | 1520 | 3020      |
| 11.811        | 59.843 | 118.898   | 8531.244  | 3869.707 | 300                | 1520 | 3020      |
| 12.205        | 59.843 | 118.898   | 8815.619  | 3998.697 | 310                | 1520 | 3020      |
| 12.598        | 59.843 | 118.898   | 9099.994  | 4127.688 | 320                | 1520 | 3020      |
| 12.992        | 59.843 | 118.898   | 9384.368  | 4256.678 | 330                | 1520 | 3020      |
| 13.386        | 59.843 | 118.898   | 9668.743  | 4385.668 | 340                | 1520 | 3020      |
| 13.780        | 59.843 | 118.898   | 9953.118  | 4514.658 | 350                | 1520 | 3020      |
| 13.780        | 59.843 | 118.898   | 9953.118  | 4514.658 | 350                | 1520 | 3020      |
| 14.173        | 59.843 | 118.898   | 10237.493 | 4643.649 | 360                | 1520 | 3020      |
| 14.567        | 59.843 | 98.425    | 8710.155  | 3950.860 | 370                | 1520 | 2500      |
| 14.961        | 59.843 | 98.425    | 8945.565  | 4057.640 | 380                | 1520 | 2500      |
| 15.354        | 59.843 | 98.425    | 9180.975  | 4164.420 | 390                | 1520 | 2500      |
| 15.748        | 59.843 | 98.425    | 9416.384  | 4271.200 | 400                | 1520 | 2500      |
| 16.142        | 59.843 | 98.425    | 9651.794  | 4377.980 | 410                | 1520 | 2500      |
| 16.535        | 59.843 | 98.425    | 9887.203  | 4484.760 | 420                | 1520 | 2500      |
| 16.929        | 59.843 | 98.425    | 10122.613 | 4591.540 | 430                | 1520 | 2500      |
| 17.323        | 59.843 | 98.425    | 10358.023 | 4698.320 | 440                | 1520 | 2500      |
| 17.717        | 59.843 | 98.425    | 10593.432 | 4805.100 | 450                | 1520 | 2500      |

Nominal stock data; confirm live availability and tolerances when ordering.



## LET'S PLAN YOUR 7075 SUPPLY

Send the required alloy temper, thickness, width, length and quantity. Our team will reply with material guidance, pricing and delivery timing.

**EMAIL**

[sales@unionalu.com](mailto:sales@unionalu.com)

**WHATSAPP**

+86 195 6061 7075

**WEB**

[www.unionalu.com](http://www.unionalu.com)

**LOCATION**

Jinan City, Shandong Province, China

**Shandong Union Aluminium Co., Ltd**

Flexible supply. Clear specifications. Reliable delivery.